



## Cartayna Files for GSXPro – Pack 3 – v1.10

### Changelog

- LFRB updated to v1.32.

ICAO Airport	Developer	Version
EDDM	Sim Wings	1.002
EGPF	UK 2000	1.22
EKCH	Fly Tampa	1.70
KBUF	iniScene	1.02
KMSY	LatinVFR	1.05
LBSF	Fly 2 High	2.10
LEBL	Latin VFR	1.10
LFRB	France VFR	1.32
LGTS	MXI Design	1.00
LKPR	Tailstrike Designs	1.01


Take a look on your Cartayna Files installation folder



Cartayna Files for FSDT-GSX Pro					EDDM Sim Wings v1.002 for MSFS2020				
Small stands									
102	112	116	121	143	203	206	208	210B	211
212A	213A	217A	218	220B	221	223B	231	232	233
234	361	262	263	317B	341	342	343	344	345
346	347	348	349	351	352	581	582	583	584
585	586	591	592	593	594	595			
Medium stands									
104	105	108	110	115A	117B	118	119	120	141
142	144	161	162	163	164	165	171	172	173
174	175	181	182	183	184	185	186	187	188
189	191	192	193	194	195	196	202B	205B	215A
219B	222B	244	246	248A	252A	254	256	301A	301B
302A	302B	308	309	310	311	312	313	317A	318A
318B	321	322	323	324	325	327	328	329	330
331	332	511	512						
Heavy stands									
101	103	107A	109B	111	113A	135	155	201	204A
207A	209B	214	216	224B	245	247	249A	251B	253
255									
Extra stands									
250									
Cargo stands									
601	602	603	604	605	606	607	901	902	903
904	905	906	907						

- ✓ Added real life VDGS overlapping non functional defaults.
- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).

- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					EGPF UK2000 v1.22 for MSFS2020				
Small stands									
1	1A	2	12	14	15	16	17		
Medium stands									
3	4	5	6L	7	8	9	10	11	18
19	20	21	22	23	24	25	26	27	28
31	32	34	36	38	40	81	82		
Heavy stands									
29	30	33	37						
Cargo stands									
61	62	63	64	65					

- ✓ Working Real-Life VDGS added overlapping non functional defaults.
- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					EKCH Fly Tampav1.70 for MSFS2020				
Small stands									
A7	A9	A11	A28	B16	B19	E78	F90	F91	F92
F93	F94	F95	F96	F97	F98				
Medium stands									
A4	A6	A8	A14	A15	A17	A18	A20	A21	A22
A25	A26	A27	A30	A31	A32	A33	A34	B4	B5
B6	B9	B15	C27	C28	C29	C30	D1	D2	E3
E4	E70	E72	E73	E75	E81	E84	E85	E87	E88
E90	F1	F4	F5	F7	F8	F9	H107		
Heavy stands									
B10	C10	C32	C33	C34	C36	C37	H102	H105	NW1
Extra stands									
C39									
Cargo stands									
G111	G112	G113	G114	G121	G124	G127	G130	G133	G136

- ✓ Real-Life VDGS.
- ✓ Real-Life Pushbacks.
- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.

# Fly TAMPA





Cartayna Files for FSDT-GSX Pro					KBUF iniScene v1.02 for MSFS2020				
Small stands									
2A	24								
Medium stands									
1	2	3	4	5	6	7	8	9	10
11	12	14	15	16	18	19	20	21	22
23	25	26							
Heavy stands									
Cargo stands									
P1	P2	P3							

- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					KMSY Latin VFR v1.05 for MSFS2020				
Small stands									
C15									
Medium stands									
A2	A3	A5	A6	B1	B2	B3	B4	B5	B6
B7	B8	B9	B10	B11	B12	B14	B15	C1	C2
C3	C4	C5	C6	C7	C8	C9	C10	C12	C14
C16	D1	D2	D3	D4	D5	D6	D7	D8	D9
D10	D11								
Heavy stands									
A1	A4	C11	D12						
Cargo stands									
P2	P3								


- ✓ VDGS added to concourse D.
- ✓ Stand C9 pushback disabled on this configuration due to an Afcad issue.
- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					LBSF Fly 2 High v2.10 for MSFS2020				
Small stands									
4A	4B								
Medium stands									
1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34						
Heavy stands									
Cargo stands									


- ✓ **Real-Life VDGS.**
- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					LEBL Latin VFR v1.10 for MSFS2020				
Small stands									
125									
Medium stands									
61	62	63	71A	72A	74	75	76	77	81
82	83	84	85	86	87	88	91	92	93
94	95	96	100	101	102	103	104	105	106
107	108	109	110	111	112	114	115	116	117
118	119	120	121	122	123	124	126	127	128
129	200	204	206	208	210	212	214	224	226
228	230	232	234	236	238	240	242	248	252
254	256	258	260	262	264	266	268	280	282
284	286	290	300	302	310	312	314	320	322
330	334	340	400	410	412	414	421	425	902
904	906								
Heavy stands									
113	247	273	276						
Extra stands									
217	221	245	250	270					
Cargo stands									
131	132	133A	134A	136	137	138A	139	141	142
142A	143	143A	151	152	153	154	155	161	162
163	164	165	171	172	173				


- ✓ Real-Life VDGS overlapping non functional defaults.
- ✓ Real-Life pushbacks.
- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					LFRB FranceVFR v1.32 for MSFS2020				
Small stands									
1	2	3	8	9	11	12	14	15	16
17	18								
Medium stands									
4	5	6	7						
Heavy stands									
Cargo stands									

- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					LGTS MXI Design v1.00 for MSFS2020				
Small stands									
Medium stands									
1	2	3	4	5	6	7	8	9	13
Heavy stands									
10	11	12							
Cargo stands									
14	15	16	17	18	19	20	21	22	23
24	25	26							

✓ **Real-Life pushbacks.**

- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.





Cartayna Files for FSDT-GSX Pro					LKPR Tailstrike Designs v1.01 for MSFS2020				
Small stands									
4A	20	22B	24B	75					
S20	S20A	S21	S22	S22A	S23	S23A	S24	S25	S25A
S26	S26A	S26B	S30						
Medium stands									
1A	1B	3A	3B	4	5	6	7	9	10
11	15	17	18	19	19A	21	22A	23	24
24A	26	27	28	29	30	31	50	50A	51
52	53	54	55	56	57	58	58A	58B	60
61	62	63	64	70	71	72	73	74	
Heavy stands									
1	3	12	14A	16	21A	22			
Extra stands									
14									
Cargo stands									
E3	E4	E5	E5A	E7					

✓ **Real-Life pushbacks.**

- ✓ We strongly recommend repositioning the aircraft on the stand at startup, using the GSX menu (reposition aircraft option), to achieve a correct fit. All positions except general aviation have been adjusted.
- ✓ Remember to disable the default scenario in case you have third-party scenarios installed to avoid conflict.
- ✓ In some scenarios there are fixed (BGL) jetways that are obviously unable to move. Those are scenery limitations, not errors of the Cartayna file. On such cases where jetways are not operative (such as BGL) AND there is a near door to disembark by foot, the disembarkation option by defect chosen by Cartayna Files is set to be by foot (no jetway).
- ✓ Stands classified as 'Cargo' have the passenger bus option deactivated and the loading belts are set to 'cargo'.
- ✓ VDGS or Marshaller are added to all stands that can accept it, unless they already exists in original scenery.
- ✓ All pushbacks are referenced to current charts, showing nose facing and taxiway where it stops.
- ✓ Multiple, complex and long pushbacks available depending on the chosen stand.
- ✓ Pushbacks longer than standard, or more complex than usual, are marked as LONG in the GSX menu.
- ✓ Sometimes Left or Right pushback is not available, thus only one pushback is offered. (As in real life).
- ✓ Thanks for the purchase of this file which helps us in the long hours of development of our products. You're helping for future Cartayna Files packs to be released.

